=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number:

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

Day: Wednesday

Date: 7/5/2006 Time: 14:51:29

PALM INTRANET

Inventor Information for 10/644081

| the factor of the control of the con | | | |
|--|-----------------|-----------------|--------------|
| Inventor Name | City | State/Country | |
| OKADA, KAZUO | TOKYO | JAPAN | |
| Appln Info Contents Petition Info | Atty/Agent Info | Continuity Data | Foreign Data |
| Search Another: Application# | Search or | Patent# | Search |
| PCT / / | Search or PG | PUBS# | Search |
| Attorney Docket # | | Search | |
| Bar Code # | Search | | |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US | US- | 20021024 | 30 | Advertisement | 463/42 | | Okada, Kazuo |
|-------------------|---------|----------|----|--|-----------|--------------------------|----------------|
| 20020155891 A1 | PGPUB | | | distribution system and server | | • | et al. |
| US | US- | 20030403 | | Game server, game | 463/42 | | Okada, Kazuo |
| 20030064809 | PGPUB | | | machine, and game | | | |
| Al | | | | control method | | | |
| US | US- | 20030403 | | Game server, game | 463/42 | | Okada, Kazuo |
| 20030064810 | PGPUB | | | machine, and game control method | | | |
| US US | US- | 20030410 | | Game server, game | 463/20 | | Okada, Kazuo |
| 20030069067 | PGPUB | 20030410 | | machine, game control | 403/20 | | Okada, Nazuo |
| Al | . 0. 02 | | | server, and game control | | | |
| | | | | method | | | |
| US | US- | 20030410 | | Game server, game | 463/42 | | Okada, Kazuo |
| 20030069073 | PGPUB | | | control method, and game | | | |
| Al | | | | machine | 0.64.1550 | | |
| US | US- | 20030417 | 9 | Circuit board and | 361/723 | 257/E23.066; | Suzumura, |
| 20030072136 A1 | PGPUB | | | production method therefor | | 257/E23.177; 361/709; | Masaki et al. |
| AI | | | | HIGIGIOI | | 361/720 | |
| US | US- | 20030417 | | Game server, game | 463/25 | 3017720 | Okada, Kazuo |
| 20030073486 | PGPUB | | | control method, and game | | | , |
| Al | | | | machine | | | |
| US | US- | 20030417 | | Game machine, game | 463/25 | | Okada, Kazuo |
| 20030073487 | PGPUB | | | server, and game control | | | |
| US | US- | 20030424 | | method Comp comp | 463/25 | - | Oleada Varua |
| 20030078095 | PGPUB | 20030424 | | Game server, game machine under control of | 403/23 | | Okada, Kazuo |
| A1 | IGIOD | | | the server, and game | | | |
| 7 | | | | control method | | | |
| US | US- | 20030828 | | Parallel linkage and | 623/24 | 623/27 | Yasui, Yuji et |
| 20030163206 | PGPUB | | | artificial joint device | | | al. |
| Al | | | | using the same | | | |
| US | US- | 20031225 | | Gaming apparatus | 273/236 | | Okada, Kazuo |
| 20030234489 | PGPUB | | | | | | |
| US US | US- | 20031225 | | Gaming apparatus | 463/16 | | Okada, Kazuo |
| 20030236117 | PGPUB | 20031223 | | Gaining apparatus | 403/10 | | Okada, Nazuo |
| A1 | 10102 | | | | | | |
| US | US- | 20031225 | | Gaming apparatus | 463/20 | | Okada, Kazuo |
| 20030236118 | PGPUB | | | | | | - |
| Al | | | | | | | |
| US | US- | 20040122 | | Gaming apparatus | 463/20 | | Okada, Kazuo |
| 20040014520 | PGPUB | | | | | | |
| US | US- | 20040401 | | Gaming machine | 463/20 | | Okada, Kazuo |
| 20040063490 | PGPUB | 20040401 | | Gailing machine | 403/20 | | Okaua, Nazuo |
| A1 | 10105 | | | | | | |
| US | US- | 20040429 | | Gaming machine | 463/16 | | Okada, Kazuo |
| 20040082375 | PGPUB | | l | = | 1 | I | · · |

.. :

| A1 | | | | | | |
|-------------|---------|----------|-------------------------|-----------|--------------|----------------|
| US | US- | 20040617 | Gaming machine | 463/20 | | Okada, Kazuo |
| 20040116178 | PGPUB | 20040017 | Gaming machine | 403/20 | | Okada, Kazuo |
| | FOFUB | | | | | |
| Al | 110 | 20040720 | | 462/40 | | 01 1 7 |
| US | US- | 20040729 | Gaming machine, server, | 463/42 | | Okada, Kazuo |
| 20040147322 | PGPUB | | and program | | | |
| A1 | | | | | | |
| US | US- | 20040805 | Gaming machine | 273/292 | 463/20 | Okada, Kazuo |
| 20040150162 | PGPUB | | | | | |
| A1 | | | | | | |
| US | US- | 20040805 | Gaming machine and | 463/16 | 463/31 | Okada, Kazuo |
| 20040152501 | PGPUB | | display device therefor | | | , |
| A1 | . 0. 02 | | anopias activo moreion | | | |
| US | US- | 20040805 | Gaming machine | 463/16 | | Okada, Kazuo |
| | | 20040803 | Gaining machine | 403/10 | | Okaua, Kazuo |
| 20040152502 | PGPUB | | | 1 | | |
| Al | | | | 1.52.11.5 | | |
| US | US- | 20040805 | Gaming machine | 463/16 | | Okada, Kazuo |
| 20040152506 | PGPUB | | | | | et al. |
| Al | | | | | | |
| US | US- | 20040826 | Gaming machine | 463/20 | 463/46 | Okada, Kazuo |
| 20040166927 | PGPUB | | | | | · |
| Al | | | | | | |
| US | US- | 20040902 | Gaming machine | 463/20 | | Okada, Kazuo |
| 20040171418 | PGPUB | 20040702 | Gaining machine | 103/20 | | Okada, Kazuo |
| | FOFUB | | | | | |
| Al | US- | 20041021 | Coming and the | 272/129 1 | 272/142D | Olas de Wassas |
| US | | 20041021 | Gaming machine | 273/138.1 | 273/142R; | Okada, Kazuo |
| 20040207154 | PGPUB | | | | 273/143R | |
| A1 | | | | | <u> </u> | |
| US | US- | 20041021 | Gaming machine | 463/20 | | Okada, Kazuo |
| 20040209668 | PGPUB | | | | | |
| Al | | | | | | |
| US | US- | 20041021 | Gaming machine | 463/20 | | Okada, Kazuo |
| 20040209671 | PGPUB | | | | | |
| Al | | | | 4 4 4 | | |
| US | US- | 20041021 | Gaming machine | 463/20 | | Okada, Kazuo |
| 20040209672 | PGPUB | 20041021 | Gaining machine | 103/20 | | Okada, Kazao |
| l e | I GI OD | | | | | |
| Al | 110 | 20041021 | -10 :- 1: | 162/20 | + | OL IV |
| US | US- | 20041021 | Gaming machine | 463/30 | | Okada, Kazuo |
| 20040209678 | PGPUB | | | | 1 - 4 | |
| Al | | | | | | |
| US | US- | 20041021 | Gaming machine | 463/31 | 463/20 | Okada, Kazuo |
| 20040209682 | PGPUB | 1 | | | | |
| A1 | | | | | | |
| US | US- | 20041021 | Gaming machine | 463/31 | 463/20 | Okada, Kazuo |
| 20040209683 | PGPUB | | | | | |
| Al | | | | | | |
| US | US- | 20041028 | Gaming machine | 463/30 | | Okada, Kazuo |
| 20040214635 | PGPUB | 20041020 | Janning machine | 703/30 | | Okada, Kazuo |
| | TOFUB | | | | | |
| Al | LIC | 20041104 | | 162/16 | 162/20 | 01 1 7 |
| US | US- | 20041104 | Gaming machine | 463/16 | 463/20 | Okada, Kazuo |

٠.

| 20040219965 | PGPUB | | | | | |
|-------------|---------|----------|----------------------------|----------|--------------|------------------|
| Al | | | | | | |
| US | US- | 20041111 | Gaming machine | 463/16 | | Okada, Kazuo |
| 20040224747 | PGPUB | | | | | |
| Al | | | | | | |
| US | US- | 20041111 | Gaming machine | 463/31 | | Okada, Kazuo |
| 20040224758 | PGPUB | | | | | et al. |
| A1 | | | | | | |
| US | US- | 20041118 | Gaming machine | 349/58 | | Okada, Kazuo |
| 20040227866 | PGPUB | | | | | |
| Al | | | | | | |
| US | US- | 20041202 | Gaming machine | 463/31 | | Okada, Kazuo |
| 20040242323 | PGPUB | | | | | |
| A1 | | | | | | |
| US | US- | 20041216 | Gaming machine with | 273/143R | | Okada, Kazuo |
| 20040251625 | PGPUB | | reels capable of precisely | | | |
| A1 | | | controlling stop position | | | |
| | | | of each reel | | | |
| US | US- | 20050210 | Premium drawing system | 705/26 | | Okada, Kazuo |
| 20050033649 | PGPUB | | | | | • |
| A1 | | | | | | |
| US | US- | 20050310 | Game server and program | 463/42 | | Okada, Kazuo |
| 20050054444 | PGPUB | | P. G. | | | |
| Al | | | | | | |
| US | US- | 20050623 | Manufacturing method of | 438/299 | 257/E21.251; | Iizuka, |
| 20050136603 | PGPUB | | semiconductor device | | 257/E21.415; | Katsuhiko et al. |
| Al | 10102 | | | | 257/E21.438; | |
| | | | | | 257/E21.444; | |
| | | | | | 257/E29.147 | |
| US | US- | 20050623 | Manufacturing method of | 438/581 | | Iizuka, |
| 20050136629 | PGPUB | | semiconductor device | | | Katsuhiko et al. |
| Al | . 01 02 | | | | | |
| US | US- | 20050707 | Cellular phone and | 455/558 | 455/557 | Okada, Kazuo |
| 20050148366 | PGPUB | 20030707 | cellular phone control | 100,000 | | 0, 122 |
| Al | 10102 | | method | | | |
| US | US- | 20050714 | Gaming machine and | 463/25 | | Okada, Kazuo |
| 20050153774 | PGPUB | 20030711 | gaming system | 105/20 | | 011444, 114240 |
| Al | 10105 | | gaming system | | | |
| US | US- | 20050721 | Award money payment | 463/25 | | Okada, Kazuo |
| 20050159213 | PGPUB | 20000721 | system, award ticket | 105/25 | | et al. |
| A1 | 10102 | | issuing device and award | | | or an |
| 1 | | | ticket accounting device | | | |
| US | US- | 20050728 | Award money payment | 463/25 | | Okada, Kazuo |
| 20050164780 | PGPUB | 20030720 | system, award ticket | 103/23 | | et al. |
| A1 | 10105 | | issuing device and award | | | |
| ()) | | | ticket accounting device | | 1 | |
| US | US- | 20050804 | Gaming machine, gaming | 463/25 | | Okada, Kazuo |
| 20050170884 | PGPUB | 20030804 | server and gaming system | 703/23 | | Chaua, Nazuu |
| A1 | 10100 | | Server and gaming system | 1 | | |
| US | US- | 20050811 | Game-medium renting | 463/25 | <u> </u> | Okada, Kazuo |
| | US- | 20020011 | Jame-medium feminig | 703143 | _L | Chaua, Nazuu |

| 20050176497 | PGPUB | | machine | | | |
|-------------------------|--------------|----------|--|----------|---------|-------------------------|
| US 20050192094 A1 | US- PGPUB | 20050901 | Gaming machine | 463/34 | | Okada, Kazuo et al. |
| US 20050224314 A1 | US- PGPUB | 20051013 | Coin feeding machine and gaming machine | 194/230 | | Okada, Kazuo et al. |
| US 20050285760 A1 | US- PGPUB | 20051229 | Typing practice apparatus, typing practice method, and typing practice program | 341/22 | | Okada, Kazuo et al. |
| US 20060009276 A1 | US- PGPUB | 20060112 | Game server, game control method, and game machine | 463/20 | | Okada; Kazuo |
| US 20060025204 A1 | US- PGPUB | 20060202 | Gaming machine | 463/20 | | Okada; Kazuo |
| US 20060030389 A1 | US- PGPUB | 20060209 | Gaming machine | 463/16 | : | Okada; Kazuo |
| US 20060030390 A1 | US- PGPUB | 20060209 | Gaming machine | 463/16 | | Okada; Kazuo |
| US 20060066046 A1 | US- PGPUB | 20060330 | Apparatus and system for supplying game articles | 273/144R | | Okada; Kazuo et al. |
| US 20060068572 A1 | US- PGPUB | 20060330 | Semiconductor device manufacturing method | 438/577 | 257/577 | Noma; Takashi et al. |
| US 20060068888 A1 | US- PGPUB | 20060330 | Gaming machine and game system | 463/20 | | Okada; Kazuo et al. |
| US 20060068889 A1 | US- PGPUB | 20060330 | Gaming machine | 463/20 | | Okada; Kazuo et al. |
| US 20060068890 A1 | US- PGPUB | 20060330 | Game system | 463/20 | | Okada; Kazuo |
| US 20060068891 A1 | US- PGPUB | 20060330 | Gaming machine | 463/20 | | Okada; Kazuo |
| US 20060068901 A1 | US- PGPUB | 20060330 | Gaming machine | 463/25 | | Okada; Kazuo et al. |
| US 20060068902 A1 | US- PGPUB | 20060330 | Gaming machine | 463/25 | | Okada; Kazuo et al. |
| US 20060068915 | US- PGPUB | 20060330 | Gaming server and gaming system | 463/42 | | Okada; Kazuo |

.. :

| Al | | | | | | <u> </u> | 7 |
|---------------|----------|----------|----------|--|-----------|-------------|----------------|
| US | US- | 20060413 | | Gaming machine and | 463/25 | 463/29 | Okada; Kazuo |
| | PGPUB | 20000413 | | • | 403/23 | 403/29 | Okaua, Kazuo |
| 20060079315 | PGPUB | | | gaming system | | | |
| A1 | 110 | 20060427 | | | 462/20 | | 01 1 7 |
| US | US- | 20060427 | | Gaming machine | 463/20 | | Okada; Kazuo |
| 20060089192 | PGPUB | | | | | | |
| Al | | | | | | | |
| US | US- | 20060601 | | Gaming machine | 463/20 | 463/39 | Okada; Kazuo |
| 20060116192 | PGPUB | | | | | | |
| Al | | | | | | | |
| US | US- | 20060615 | | Gaming system | 463/16 | | Okada; Kazuo |
| 20060128459 | PGPUB | | | | | | |
| A1 | | | | | | | |
| US | US- | 20060615 | | Gaming machine and | 463/25 | | Okada; Kazuo |
| 20060128461 | PGPUB | | | game system | | | |
| A1 | | | | | | | |
| US | US- | 20060615 | | Gaming machine | 463/29 | | Okada; Kazuo |
| 20060128463 | PGPUB | | | | | | , |
| Al | | | | | | | |
| US | US- | 20060615 | | Gaming machine and | 463/29 | | Okada; Kazuo |
| 20060128464 | PGPUB | 20000015 | | gaming system therefor | 100,25 | | 0, 122 |
| Al | 10.05 | | | gaming system merere. | | | |
| US | US- | 20060622 | 38 | Game machine and game | 463/20 | | Okada; Kazuo |
| 20060135246 | PGPUB | 20000022 | 50 | system | 403/20 | | Okada, Kazuo |
| A1 | PUPUB | | | System | | | |
| US 3622268 | LICDAT | 19711123 | <u> </u> | METHOD FOR | 423/24 | 423/181; | Wada; Takeo et |
| | USPAT | 19/11123 | | | 423/24 | 1 | • |
| A | | ł | | RECOVERY OF | | 423/395; | al. |
| | | | | METALLIC CATIONS | | 423/70; | |
| VIG 0 (000 50 | TIGD I M | 10501015 | | NATION FOR | 110/001 | 562/607 | W I T I |
| US 3698358 | USPAT | 19721017 | | METHOD FOR | 119/201 | 119/214; | Wada; Takeo et |
| A | | | | MAINTAINING | | 426/2 | al. |
| | | | | FRESHNESS OF | | | |
| | | | | AQUATIC ANIMALS | | | |
| US 3757125 | USPAT | 19730904 | | OPTICAL TRACKING | 250/202 | 219/124.34; | Okada; Kazuo |
| Α | | | | APPARATUS | | 250/234 | et al. |
| US 3981970 | USPAT | 19760921 | | Method for the | 423/306 | 423/299; | Wada; Takeo et |
| A | | | | production of a zeolite | | 423/305; | al. |
| | | 1 | | material | | 423/307; | |
| | | | ļ | | | 423/593.1; | |
| | | | | | | 423/594.1; | |
| | | 1 | | | | 423/600; | |
| | | | | | 1 | 423/601 | |
| US 4083959 | USPAT | 19780411 | | Therapeutical method for | 424/260.1 | | Homma; |
| A | | | | treating infection of mink | | | Yuzuru et al. |
| | | | | hemorrhagic pneumonitis | | | |
| US 4096245 | USPAT | 19780620 | <u> </u> | Prophylactic preparation | 424/260.1 | | Homma; |
| A | | | | for treating mink | | | Yuzuru et al. |
| | | | | infection caused by | | | |
| 1 | 1 | 1 | 1 | | 1 | I | 1 |
| 1 | | | | Pseudomonas aeruginosa | | | 1 |
| US 4305144 | USPAT | 19811208 | | Pseudomonas aeruginosa Optically reproducing | 369/44.41 | | Okada; Kazuo |

| A | | | and tracking system for spiral information track | | | |
|-----------------|-------|----------|---|-----------|--|--------------------------------|
| US 4363961 A | USPAT | 19821214 | Automatic focusing apparatus | 250/201.3 | 250/201.5; 250/204; 369/122; 369/44.13 | Okada; Kazuo et al. |
| US 4423872 A | USPAT | 19840103 | Pinball game | 273/121A | 273/124A; 273/129S | Okada; Kazuo |
| US 4482987 A | USPAT | 19841113 | Optical information reproducing apparatus | 386/126 | 250/202 | Okada; Kazuo et al. |
| US 4492379 A | USPAT | 19850108 | Reel type slot machine | 273/143R | | Okada; Kazuo |
| US 4502134 A | USPAT | 19850226 | Optical disc signal reproducing system with tilt immunization | 369/44.32 | 369/44.34 | Kondo; Mitsushige et al. |
| US 4508345 A | USPAT | 19850402 | Slot machine with player- friendly bonus game | 273/143R | | Okada; Kazuo |
| US 4534560 A | USPAT | 19850813 | Slot machine | 273/143R | | Okada; Kazuo |
| US 4556140 A | USPAT | 19851203 | Method and apparatus for discriminating coins or bank notes | 194/206 | 194/303; 194/334; 902/7 | Okada; Kazuo |
| US 4573681 A | USPAT | 19860304 | Slot machine with random number generation | 463/21 | 708/250 | Okada; Kazuo |
| US 4625303 A | USPAT | 19861125 | Automatic focusing device | 369/44.23 | 369/120; 369/44.42 | Shikama; Shinsuke et al. |
| US 4657247 A | USPAT | 19870414 | Video game apparatus with automatically adjusting timing window | 463/23 | | Okada; Kazuo |
| US 4657256 A | USPAT | 19870414 | Slot machine with win/loss biasing means | 463/21 | 273/143R | Okada; Kazuo |
| US 4668555 A | USPAT | 19870526 | Heat insulating body | 428/69 | 156/79; 428/317.5; 428/318.4; 428/71; 428/76 | Uekado; Kazutaka et al. |
| US 4679789 A | USPAT | 19870714 | Video game apparatus with automatic skill level adjustment | 463/23 | | Okada; Kazuo |
| US 4684333 A | USPAT | 19870804 | Self-priming pump | 417/420 | 137/216; 417/199.1; 417/299 | Hirakawa; Norishige et al. |
| US 4687981 A | USPAT | 19870818 | Stepping motor | 318/696 | 318/685 | Okada; Kazuo |
| US 4691252 A | USPAT | 19870901 | Rotary magnetic recording-reproducing apparatus | 360/75 | 348/376; 358/906; 360/78.05 | Okada; Kazuo et al. |
| US 4700948 A | USPAT | 19871020 | Slot machine with playing card symbols | 273/143R | | Okada; Kazuo |

۹,

| US 4715604 A | USPAT | 19871229 | Slot machine | 273/143R | | Okada; Kazuo |
|-----------------|-------|----------|---|-----------|---|-------------------------------|
| US 4718672 A | USPAT | 19880112 | Slot machine | 463/20 | 273/143R; 463/31 | Okada; Kazuo |
| US 4721307 A | USPAT | 19880126 | Slot machine | 273/143R | D20/1 | Okada; Kazuo |
| US 4725516 A | USPAT | 19880216 | Sealed lead-acid battery | 429/225 | 429/204; 429/247; 429/60 | Okada; Kazuo et al. |
| US 4730899 A | USPAT | 19880315 | Optical signal reading device | 369/100 | 250/237G; 359/629; 369/112.21; 369/44.14 | Kime; Kenjiro et al. |
| US 4741532 A | USPAT | 19880503 | Reel drive device for slot machine | 273/143R | 464/100; 464/81 | Okada; Kazuo |
| US 4752069 A | USPAT | 19880621 | Video game which instructs the user how to play | 463/23 | 463/7 | Okada; Kazuo |
| US 4753625 A | USPAT | 19880628 | Coin pay-out apparatus | 453/32 | 377/7 | Okada; Kazuo |
| US 4772023 A | USPAT | 19880920 | Slot machine | 273/143R | | Okada; Kazuo |
| US 4773647 A | USPAT | 19880927 | Slot machine with stop switch enablement after attainment of minimum reel speed | 273/143R | | Okada; Kazuo et al. |
| US 4819093 A | USPAT | 19890404 | Rotary magnetic recording-reproducing apparatus with disc track checking | 360/78.06 | 358/909.1; 360/75; 360/77.02 | Okada; Kazuo et al. |
| US 4821863 A | USPAT | 19890418 | Token feed apparatus for slot machines | 194/344 | 194/350 | Okada; Kazuo |
| US 4822318 A | USPAT | 19890418 | Coin dispenser | 453/57 | 221/203; 453/32; 453/58 | Okada; Kazuo |
| US 4827167 A | USPAT | 19890502 | Miniature motor | 310/89 | 174/520; 310/40MM; 310/42 | Mayumi; Etuo et al. |
| US 4858032 A | USPAT | 19890815 | Device for extracting still picture frames from a moving image video signal and recording same on a magnetic recording medium | 360/91 | 360/32; 386/112; 386/121; 386/98 | Okada; Kazuo et al. |
| US 4862442 A | USPAT | 19890829 | Focus detecting apparatus utilizing reflecting surface having variable reflectivity or transmissivity | 369/44.14 | 250/201.5 | Tadokoro; Michihiro et al. |
| US 4868787 | USPAT | 19890919 | Wavelength selective | 365/106 | 346/135.1; | Okada; Kazuo |

| Α | | | optical data storage | | 347/224; | |
|-------------|--------|---|----------------------------|------------|-------------|-------------------|
| A | | | system | | 365/119; | |
| | | | System | | 369/100; | |
| | | | | | 369/100; | |
| | | | | | 369/112.03 | |
| 110 40/0007 | LICDAT | 10000010 | Wassianalaadaa | 260/102 | | Olada Varus |
| US 4868807 | USPAT | 19890919 | Wavelength selective | 369/102 | 346/135.1; | Okada; Kazuo |
| A | | | optical data storage | | 347/248; | et al. |
| | | | system | | 365/106; | |
| | | | | | 365/119; | |
| | | | | | 369/121 | |
| US 4876666 | USPAT | 19891024 | Wavelength selective | 365/106 | 347/248; | Imai; Hitoshi et |
| Α | | | optical data storage | | 369/100; | al. |
| | | | system | | 369/102; | |
| | | | | | 369/112.03 | |
| US 4881204 | USPAT | 19891114 | Optical reading or writing | 369/44.39 | 369/292 | Tadokoro; |
| Α | | | apparatus | | • | Michihiro et al. |
| US 4889339 | USPAT | 19891226 | Slot machine | 463/20 | 273/143R; | Okada; Kazuo |
| Α | | | | | 463/22 | , |
| US 4908809 | USPAT | 19900313 | Information-carrying | 369/13.4 | 360/131; | Tadokoro; |
| A | 001111 | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | medium equipment for | | 360/59; | Michihiro et al. |
| 7. | | | magneto-optic reading | | 365/122; | |
| | | | and writing | | 369/13.53 | ! |
| US 4941840 | USPAT | 19900717 | Circuit board mounting | 439/376 | 439/64 | Okada; Kazuo |
| A | USFAI | 19900/1/ | | 4391310 | 439/04 | Okada, Kazuo |
| | LICDAT | 10000907 | apparatus Potoru mognetic | 260/127 | 260/79 04 | Okada, Karwa |
| US 4947280 | USPAT | 19900807 | Rotary magnetic | 360/137 | 360/78.04 | Okada; Kazuo |
| Α | | | reproducing apparatus | | | et al. |
| 710 1076017 | ***** | 10000011 | with disc sensing logic | 265/110 | 2654126 | |
| US 4956812 | USPAT | 19900911 | Wavelength selective | 365/119 | 365/106; | Seya; |
| A | • | | optical recording and | | 365/215; | Masatomo et al. |
| | | | reproducing device | 1 | 369/106; | |
| | | | | | 372/32 | <u> </u> |
| US 4956813 | USPAT | 19900911 | Apparatus for | 365/127 | 365/120 | Seya; |
| Α | 1 | | regenerating information | | | Masatomo et al. |
| | Ì | | from records made by | | | |
| | | | optical-wavelength- | | | |
| | | | multiplexing method | | | |
| US 4959732 | USPAT | 19900925 | Still video signal | 386/49 | 386/114; | Sato; Akio et al. |
| Α | | | playback apparatus for | | 386/76 | |
| | | | converting an input video | | | |
| | | | signal into a noise | | | |
| | 1 | | cancelled, drop-out | | | |
| | | <u> </u> | compensated playback | | | |
| | | | signal | | | |
| US 4962479 | USPAT | 19901009 | Optical data storage | 365/119 | 365/106 | Imai; Hitoshi et |
| | USIAI | 19901009 | system with wavelength | 303/119 | 303/100 | al. |
| A | | | | | | a1. |
| LIC 40/5795 | LICDAT | 10001022 | selective laminate | 260/112.24 | 260/112 20: | Tadalsaras |
| US 4965785 | USPAT | 19901023 | Optical head including a | 369/112.24 | 369/112.28; | Tadokoro; |
| Α | | | collimator having lenses | 1 | 369/44.23 | Michihiro et al. |
| 110 10000 | 1105.5 | 10016313 | of different focal lengths | 240455 | | 101: |
| US 4992852 | USPAT | 19910212 | Circuit with a comb filter | 348/455 | L | Sekizawa; |

| A | | | for causing color difference signals to coincide on each scanning line | | | Ikuhisa et al. |
|-----------------|-------|----------|---|-----------|--|-------------------------------|
| US 4995193 A | USPAT | 19910226 | Method of preventing adherence of ash to gasifier wall | 48/197R | 252/373; 48/202; 48/206; 48/DIG.2; 48/DIG.7 | Soga; Kunio et al. |
| US 5004238 A | USPAT | 19910402 | Ball-shooting game machine | 273/121B | 273/121A; 273/122A; 273/123A; 273/124A; 273/125A | Okada; Kazuo |
| US 5004900 A | USPAT | 19910402 | Focusing error detecting apparatus with light switching and detector sampling | 250/201.5 | 369/44.24 | Seya; Masatomo et al. |
| US 5010995 A | USPAT | 19910430 | Slot machine | 463/20 | 273/143R; 463/25 | Okada; Kazuo |
| US 5016232 A | USPAT | 19910514 | Magneto-optic information-carrying medium including three magnetic layers | 369/13.38 | 365/122; 369/13.53; 428/819; 428/900 | Tadokoro; Michihiro et al. |
| US 5018737 A | USPAT | 19910528 | Slot machine | 273/143R | | Okada; Kazuo |
| US 5024439 A | USPAT | 19910618 | Slot machine | 273/143R | | Okada; Kazuo |
| US 5025430 A | USPAT | 19910618 | Magneto-optic recording and reproducing apparatus including a multiple layer recording medium having a premagnetized bias layer replacing an external bias magnetic | 369/13.46 | 360/59; 369/13.45 | Takokoro; Michihiro et al. |
| US 5031911 A | USPAT | 19910716 | Ball-shooting game machine | 273/121B | 273/124A | Okada; Kazuo |
| US 5051975 A | USPAT | 19910924 | Optical recording and/or reproducing apparatus having a temperature adjusting device | 369/44.39 | 369/292; 369/44.32; 720/695 | Tadokoro; Michihiro et al. |
| US 5074559 A | USPAT | 19911224 | Slot machine | 463/21 | 273/143R | Okada; Kazuo |
| US 5083785 A | USPAT | 19920128 | Win control method and apparatus for game machines | 463/21 | 273/143R; 463/25 | Okada; Kazuo |
| US 5107409 A | USPAT | 19920421 | Optical head for optical information recording/reproducing | 362/369 | 362/259; 362/268; 362/390; | Tadokoro; Michihiro et al. |

| | | | apparatus | | 369/44.14; 369/44.15; 720/651 | |
|-----------------|-------|----------|---|------------|---|-------------------------------|
| US 5127651 A | USPAT | 19920707 | Slot machine | 273/143R | | Okada; Kazuo |
| US 5152529 A | USPAT | 19921006 | Game machine | 463/20 | 273/143R | Okada; Kazuo |
| US 5178390 A | USPAT | 19930112 | Game machine | 273/143R | | Okada; Kazuo |
| US 5231626 A | USPAT | 19930727 | Wavelength selective optical recording and reproducing method | 369/121 | 365/119 | Tadokoro; Michihiro et al. |
| US 5271628 A | USPAT | 19931221 | Crane game machine | 273/448 | 221/210 | Okada; Kazuo |
| US 5313447 A | USPAT | 19940517 | Optical head | 369/112.29 | 369/119 | Takeshita; Nobuo et al. |
| US 5318997 A | USPAT | 19940607 | Method for production of open cell rigid polyurethane foam | 521/174 | 521/155; 521/78 | Okada; Kazuo et al. |
| US 5380715 A | USPAT | 19950110 | Ap.sub.4 A as a hypotensive agent | 514/47 | 514/46; 536/26.21; 536/26.22 | Sekine; Akihiro et al. |
| US 5399929 A | USPAT | 19950321 | Miniature motor | 310/154.18 | 310/40MM; 310/89; 310/91 | Okada; Kazuo et al. |
| US 5412267 A | USPAT | 19950502 | Miniature motor and method of making same | 310/42 | 310/40MM; 310/89 | Okada; Kazuo et al. |
| US 5441447 A | USPAT | 19950815 | Coin dispenser and coin pay-out method | 453/32 | 377/7 | Okada; Kazuo |
| US 5444314 A | USPAT | 19950822 | Miniature motor | 310/40MM | 310/51 | Okada; Kazuo |
| US 5464333 A | USPAT | 19951107 | Magnet pump with rear thrust bearing member | 417/420 | 417/423.12 | Okada; Kazuo et al. |
| US 5467856 A | USPAT | 19951121 | Gaming machine and method of detecting fraud in the same | 194/202 | 273/138.2; 273/143R; 463/25 | Okada; Kazuo |
| US 5496032 A | USPAT | 19960305 | Management method for gaming hall | 463/25 | 273/121B; 463/29; 463/42; 463/47 | Okada; Kazuo |
| US 5519068 A | USPAT | 19960521 | Method of producing open cell rigid polyurethane foam | 521/174 | 521/117; 521/128 | Okada; Kazuo et al. |
| US 5603659 A | USPAT | 19970218 | Gaming machine | 463/25 | 273/121B; 463/16 | Okada; Kazuo |
| US 5667439 A | USPAT | 19970916 | Gaming machine | 463/20 | 273/143R | Okada; Kazuo |
| US 5887110 A | USPAT | 19990323 | Video data playback system using effective scheme for producing | 386/68 | 386/111; 386/82 | Sakamoto; Hideki et al. |

•

| | | | coded video data for fast | | | |
|------------------|-------|----------|--|---------|---|------------------------------|
| US 5947864 A | USPAT | 19990907 | playback mode Control apparatus for hydraulically operated vehicular transmission | 477/154 | 477/55; 74/336R | Ohashi; Tatsuyuki et al. |
| US 5956999 A | USPAT | 19990928 | Control apparatus for hydraulically operated vehicular transmission | 74/336R | | Okada; Kazuo et al. |
| US 5957810 A | USPAT | 19990928 | Control apparatus for hydraulically operated vehicular transmission | 477/154 | 477/906; 701/62 | Ohashi; Tatsuyuki et al. |
| US 5997436 A | USPAT | 19991207 | Control apparatus for vehicular automatic transmission | 477/154 | 477/117; 477/155 | Shibuya; Kouji et al. |
| US 6007458 A | USPAT | 19991228 | Control apparatus for hydraulically operated vehicular transmission | 477/154 | 477/143; 477/155 | Ohashi; Tatsuyuki et al. |
| US 6068575 A | USPAT | 20000530 | Control apparatus for hydraulically operated vehicular transmission | 477/144 | 477/139; 477/141 | Tanizawa; Shoichi et al. |
| US 6216764 B1 | USPAT | 20010417 | Method and apparatus for making lead-acid batteries | 164/108 | 164/109; 164/126; 164/128; 29/623.1 | Goshima; Teruo et al. |
| US 6287194 B1 | USPAT | 20010911 | Gaming machine | 463/16 | 273/139; 463/20 | Okada; Kazuo et al. |
| US 6397695 B1 | USPAT | 20020604 | Control apparatus for hydraulically-operated vehicular transmission | 74/335 | 477/150; 477/155 | Okada; Kazuo et al. |
| US 6437424 B1 | USPAT | 20020820 | Non-volatile semiconductor memory device with barrier and insulating films | 257/639 | 257/315; 257/382; 257/E21.682; 257/E27.103; 257/E29.129 | Noma; Takashi et al. |
| US 6443710 B1 | USPAT | 20020903 | Magnetic pump | 417/365 | 417/420 | Tatsukami; Kiyoshi et al. |
| US 6620044 B1 | USPAT | 20030916 | Gaming machine | 463/20 | 273/143R | Okada; Kazuo |
| US 6626761 B1 | USPAT | 20030930 | Game machine that provides support to players based on game history | 463/43 | 463/16 | Okada; Kazuo |
| US 6691439 B1 | USPAT | 20040217 | Full-shrink labeled container and tubular shrink label | 40/310 | | Miyashita; Takashi et al. |
| US 6695697 B1 | USPAT | 20040224 | Game device and medium memorizing a game program and readable by a computer for support players' technical | 463/20 | 273/143R | Okada; Kazuo |

| US 6790142 | USPAT | 20040914 | intervention without changing fundemental specification of the game device Advertisement | 463/42 | 463/16; | Okada; Kazuo |
|------------------|-------|----------|--|---------|---|-----------------------------|
| B2 | USPAT | 20040914 | distribution system and server | 403/42 | 463/20; 463/40 | et al. |
| US 6791034 B2 | USPAT | 20040914 | Circuit board and production method therefor | 174/252 | 174/254; 257/675; 257/E23.066; 257/E23.177; 361/688; 361/813 | Suzumura; Masaki et al. |
| US 6937298 B2 | USPAT | 20050830 | Gaming machine having a protective member covering drive unit and at least a portion of the light emission means | 349/58 | 349/65; 463/46 | Okada; Kazuo |
| US 6987062 B2 | USPAT | 20060117 | Manufacturing method of semiconductor device | 438/682 | 257/E21.251; 257/E21.415; 257/E21.438; 257/E21.444; 257/E29.147; 438/303; 438/529; 438/592; 438/595; 438/683; 438/745; 438/756 | Iizuka; Katsuhiko et al. |
| US 7022575 B2 | USPAT | 20060404 | Manufacturing method of semiconductor device | 438/303 | 438/275; 438/581 | lizuka; Katsuhiko et al. |